





M30 180 - Talco



M30 200 - Grafite



M30 260 - Avio




M30 185 - Riso



M30 235 - Mattone



M30 265 - Ocra



M30 190 - Cenere



M30 240 - Salmone



M30 194 - Fango



M30 250 - Salvia




M30 198 - Ebanò



M30 255 - Maya

Formati Size



Codice mosaico <i>Mosaic code</i>	Descrizione mosaico <i>Mosaic description</i>	Fuga consigliata* tono su tono <i>Suggested grout* tone on tone</i>	Consumo fuga - Kg / mq <i>Grout coverage - Kg / sqm</i>
M30 180	Talco	MG - bright white 44	2
M30 185	Riso	MG - light pewter 90	2
M30 190	Cenere	MG - sterling silver 78	2
M30 194	Fango	MG - natural grey 24	2
M30 198	Ebano	MG - mocha 35	2
M30 200	Grafite	MG - raven 45	2
M30 235	Mattone	MG - terra cotta 58	2
M30 240	Salmon	MG - saltillo 92	2
M30 250	Salvia	MG - boston fern 33	2
M30 255	Maya	MG - sea glass 50	2
M30 260	Avio	MG - slate grey 91	2
M30 265	Ocra	MG - kashmir 41	2

1 mq = 11 fogli 1 sqm = 11 sheets

*Suggeriamo fuga epossidica We suggest epoxy grout

Dimensione scatola <i>Box size</i>	Dimensione fogli <i>Sheets size</i>	Fogli per scatola <i>Sheets-box</i>	mq-scatoia <i>smq-box</i>	kg-scatoia <i>kg-box</i>
330x330x55 mm	300x300x4 mm	9	0,81	4,3

Dimensione pallet <i>Pallet size</i>	Contenuto pallet <i>Pallet content</i>	Fogli-pallet <i>Sheets-pallet</i>	mq-pallet <i>smq-pallet</i>	kg-pallet <i>kg-pallet</i>
800x1200x880 mm	72 scatole 72 box	648	58,32	334

Scivolosità <i>Slipperiness</i>	Resistenza agli sbalzi termici <i>Thermal shock resistance</i>	Resistenza al gelo <i>Frost resistance</i>	Resistenza agli attacchi chimici <i>Chemical resistance</i>	Resistenza alle macchie <i>Resistance to stains</i>
classe C <i>classification C</i>	resistente <i>resistant</i>	resistente <i>resistant</i>	A LA HA	resistente <i>resistant</i>
DIN 51097:1992	UNI EN ISO 10545-9:2014	UNI EN ISO 10545-12:2000	UNI EN ISO 10545-13:2017	UNI EN ISO 10545-14:2015

mosaicomicro.com

Made in Italy