

Prestige

Natural charm, Italian elegance

Panaria
ceramica



P R () T E C T ®

ANTIMICROBIAL SURFACE

This collection is made with
the exclusive antimicrobial Protect technology



with MICROBAN®

P R () T E C T ®

Antimicrobial floor and wall coverings with the highest performance



POWERFUL ACTION
resists microbes and inhibits their growth



CONTINUOUS PROTECTION
always active, 24 hours a day, with and without sunlight



ETERNAL EFFECTIVENESS
thanks to the technology permanently integrated into the product

with **MICROBAN**®

protect.panariagroup.it

PANARIAgroup®



**The beauty
of feeling
at home**



Italian style that reveals nature's charm

Prestige reinterprets the timeless elegance of marble with a contemporary twist. The Panaria catalogue is thus expanded with a collection that focuses on the classicism of four marble looks with discreet graphic textures and warm, luminous shades, in two finishes (Lux and Soft). Reflecting a typically Italian sophisticated and advanced taste, Prestige embodies a style that faithfully reproduces the beauty of nature, enhanced by the proportions of the new 60x120 size.



Sensations of intense naturalness, waiting to be experienced

With its classic, refined, bright and welcoming look, Prestige lends a charming and exclusive appeal to both private homes and light commercial settings. The ceramic marbles that make up the collection imbue the living space with an authentically natural character, receptive to the emotions of a vibrant life full of stimuli and interwoven relationships. Prestige is the privilege of a marble effect with an authentically Italian style designed to reshape contemporary American living.

**Four mineral
treasures that
enchant with their
exceptional realism**



Unique details for timeless beauty

The four marbles are the result of a careful study of the examples taken as models. Every detail has been reproduced with an astonishing degree of accuracy, paying careful attention to the graphic balance of the many available facets. Veins, colour nuances, tonal transitions and glazes are evenly distributed on the laid surface, which renders the timeless beauty of a fine and pristine material.





**The Lux surface conveys
light transparencies
with exquisite reflections**





Calacatta Gold Soft 24"x48" Rect - 60x120 cm
Mosaic Calacatta Gold Soft 12"x12" Rect - 30x30 cm





**Each graphic detail
reproduces a feature
of the real mineral texture**





**Durable, practical,
functional and hygienic:
porcelain stoneware is
an unrivalled surface**



Imperiale Grey Lux 24"x48" Rect - 60x120 cm
Chevron Imperiale Grey Soft 4"x21" - 9.5x54 cm
Imperiale Grey Soft 12"x24" Rect - 30x60 cm

**Different formats and cut decors
create richly nuanced surfaces that
are dynamic, yet always harmonious**








Style beyond the home: elegant and sophisticated commercial spaces

With Prestige, the noble beauty of marble and the charm of Italian style are not exclusive to the home. Thanks to the outstanding technical qualities of porcelain stoneware, the four marble looks are suitable for any light commercial context. Both the Lux finish, which is as shiny as polished marble, and the Soft finish, which is matt and soft to the touch, offer safe and durable floor and wall surfaces that are resistant to scratches and acids, non-absorbent and easy to clean. Prestige also incorporates Protect, the powerful antimicrobial protection that is constantly active.





Marble looks inspired by the purest classicism, speaking the language of contemporary style





The story continues...



A technical manual to inspire, to explore the entire collection in detail,
to share ideas and solutions or to look for new ones.



CERAMIC. A SAFE CHOICE.

Panariagroup Ceramics at their best

Ceramics offer unique and outstanding performance

SAFE

HYGIENIC

LONG-LASTING

ZERO VOCs

IT DOES NOT BURN

RESISTANT

VERSATILE

STABLE

RECYCLABLE

ENVIRONMENT-FRIENDLY

Panariagroup stands out for its superior quality products

HEALTHIER

*Thanks to the integrated
Protect® antimicrobial technology*

EASIER TO CLEAN

*Thanks to our exclusive
surface processing techniques*

MORE VERSATILE AND SUITABLE FOR EVERY USE

*Thanks to the wide availability of
high-performance technologies and components
that allow you to obtain products suitable
for different uses*

MORE SUSTAINABLE

*Thanks to a production process that is
extremely efficient in terms of compliance
with environmental standards and consumption
of water, energy and raw materials*

Prestige

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LUX   ANTI-SLIP 


PROTECT

ANTIMICROBIAL SURFACE
with Microban®

CALACATTA GOLD



12"x24" Rect - 30x60 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only



24"x48" Rect - 60x120 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only


FLOOR VIEW



ONICE CREAM



12"x24" Rect - 30x60 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only



24"x48" Rect - 60x120 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only

FLOOR VIEW



* No antimicrobial protection

Prestige


COLOURED-BODY GLAZED STONEWARE

INTENDED USE: SOFT   LUX   ANTI-SLIP 


PROTECT

ANTIMICROBIAL SURFACE
with Microban®

TRAVERTINO WHITE



12"x24" Rect - 30x60 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only




24"x48" Rect - 60x120 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only

FLOOR VIEW




* No antimicrobial protection

IMPERIALE GREY



12"x24" Rect - 30x60 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only



24"x48" Rect - 60x120 cm
LUX
SOFT
ANTI-SLIP*
Anti-Slip surface special order only

FLOOR VIEW




Prestige

COLOURED-BODY GLAZED STONEWARE


PROTECT

ANTIMICROBIAL SURFACE
with Microban®

DECOS




CHEVRON
CALACATTA GOLD
4"x21" Rect - 9.5x54 cm
SOFT
± 9 mm



CHEVRON
ONICE CREAM
4"x21" Rect - 9.5x54 cm
SOFT
± 9 mm



CHEVRON
TRAVERTINO WHITE
4"x21" Rect - 9.5x54 cm
SOFT
± 9 mm



CHEVRON
IMPERIALE GREY
4"x21" Rect - 9.5x54 cm
SOFT
± 9 mm




MOSAIC 36 PCS
CALACATTA GOLD
12"x12" Rect - 30x30 cm
LUX
SOFT
± 9 mm



MOSAIC 36 PCS
ONICE CREAM
12"x12" Rect - 30x30 cm
LUX
SOFT
± 9 mm



MOSAIC 36 PCS
TRAVERTINO WHITE
12"x12" Rect - 30x30 cm
LUX
SOFT
± 9 mm




MOSAIC 36 PCS
IMPERIALE GREY
12"x12" Rect - 30x30 cm
LUX
SOFT
± 9 mm

TRIM PIECES



BULLNOSE
3^{3/4}"x24" Rect - 9.5x60 cm
LUX
SOFT
± 9 mm

All colors available



COVE BASE
6"x12" - 15x30 cm
SOFT
± 9 mm

Special order only

CHEVRON:
Each box contains 4 right arrows and 4 left arrows

Prestige

COLOURED-BODY GLAZED STONEWARE

PROTECT

ANTIMICROBIAL SURFACE
with Microban®

TECHNICAL FEATURES

COLOURED-BODY GLAZED STONEWARE according to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

TECHNICAL FEATURES	TEST METHOD	REQUIRED VALUES	AVERAGE VALUES
WATER ABSORPTION	ASTM C373	≤ 0,5%	CONFORMS
BREAKING STRENGTH	ASTM C648	≥ 250 lbf	350 lbf 9 mm
SURFACE ABRASION RESISTANCE	ASTM C1027	As indicated by manufacturer	PEI 3
LINEAR THERMAL EXPANSION	ASTM C372	No provision	α ≤ 4.4 x 10⁻⁶ °F⁻¹ α ≤ 8x 10⁻⁶ °C⁻¹
STAIN RESISTANCE	ASTM C1378	As indicated by manufacturer	A RESISTANT C (LUX)
CHEMICAL RESISTANCE^(*)	ASTM C650	As indicated by manufacturer	A RESISTANT
FROST RESISTANCE	ASTM C1026	As indicated by manufacturer	RESISTANT
BOND STRENGTH	ASTM C482	≥ 50 PSI	CONFORMS
SLIP RESISTANCE	DIN EN 16165 - Annex B DIN EN 16165 - Annex A ANSI A326.3	- - -	R11 Anti-Slip*** C (A+B+C) Anti-Slip*** ID - DCOF ≥ 0.42 (dry) Soft - Lux IW - DCOF ≥ 0.42 (wet) Soft IW+ Anti-Slip*** EW Anti-Slip***
SHADE VARIATION	ANSI A137.1	As indicated by manufacturer	V3 Moderate variation Onice Cream - Imperiale Grey V4 Substantial variation Calacatta Gold - Travertino White
FLAME SPREAD	ASTM E84	-	Class A
THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F
RECOMMENDED MINIMUM JOINT^(**)	RECT (INDOOR) OUTDOOR	- -	1/8" - 3.2 mm approx. 3/16" - 4.7 mm approx.
THICKNESS	SIZES 12"x24" Rect - 30x60 cm 24"x48" Rect - 60x120 cm	- -	9 mm

(*) Excluding hydrofluoric acid and its derivatives.

(**) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16". Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable variation in fabrication or manufacturing.

(***) Anti-Slip surface special order only.

PACKINGS AND WEIGHTS

SIZES	SF / CTN	LINEAR FT / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
24"x48" Rect Soft - Anti-Slip	15.61	-	2	36	561.96	64.6	2,325.6
24"x48" Rect Lux	15.61	-	2	36	561.96	66.138	2,380.968
12"x24" Rect Soft - Anti-Slip	15.61	-	8	32	499.52	57.5	1,840
12"x24" Rect Lux	17.44	-	9	32	558.08	74.515	2,384.48
MOSAIC 36 PCS 12"x12" Rect Soft	3.875	-	5	78	377.832	20.657	1,611.246
MOSAIC 36 PCS 12"x12" Rect Lux	3.875	-	4	78	302.25	16.534	1,289.652
CHEVRON 4"x21" Rect Soft	4.417	-	8	64	282.88	20.315	1,350
BULLNOSE 3^{3/4}"x24" Rect Soft	9.816	31.5	16	60	588.96	39.462	2,367.72
BULLNOSE 3^{3/4}"x24" Rect Lux	9.816	31.5	16	48	471.168	39.683	1,904.784
COVE BASE 6"x12" Rect Soft	3.87	-	8	108	417.96	16.53	1,785.24

Prestige

COLOURED-BODY GLAZED STONEWARE

P R () T E C T

ANTIMICROBIAL SURFACE
with Microban®

INTENDED USE

KEY



RESIDENTIAL

Kitchens, bathrooms, living rooms and other residential environments.



LIGHT COMMERCIAL

Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms. In areas subjected to forced traffic, or areas where chairs with hard plastic wheels are used, it is not advisable to use products with the LUX finishes.



INTENSIVE COMMERCIAL

Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



OUTDOOR

Mainly for external areas that require flooring with anti-slip characteristics.

The LUX finishes are recommended, as well as for wall cladding, also for flooring in residential or light commercial areas that are not subjected to heavy traffic, where anti-slip characteristics are not required. The occasional presence of small inconsistencies or little spots on the surface is to be considered a characteristic of the material and of its unique production process. If the product is laid in direct contact with external environments, it is recommended to use protective solutions to reduce the formation of scratches. It is the installer's responsibility to protect the finished and clean tiling before the delivery to the client, by using appropriate protective materials (e.g. chipboard, cardboard sheets, etc.).

CERTIFICATIONS



PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organisation that promotes buildings that are environmentally responsible, profitable and healthy places to live and work. LEED card SUITE series is available on request.



Declare.



Product designed in Italy and made in USA



PANARIA AND THE ENVIRONMENT



100% REUSE OF UNFIRED TILES

Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



100% OF NON CERAMIC WASTE

Is differentiated and recycled in other production cycles.



100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES

The waste-fired tiles are fully reused in the production cycle. In addition, at the end of life, the tiles Panaria can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.



SAFETY REQUIREMENTS: NO FIRE REACTION

All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 - Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (0) and smoke developed rating of (0) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with NFPA 255.



100% WATER RECYCLING

The water used in the production process is recycled. The water demand is strongly reduced by this mean.



METHANE CONSUMPTION IS HIGHLY REDUCED

By the use of up to date technologies and customized installations.



PANARIA PACKING MATERIAL IS 100% RECYCLABLE

Carton boxes, plastic packaging materials, wooden pallets, straps, etc.



LOW EMISSIONS IN THE ATMOSPHERE

Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.

Follow us on



Group Marketing & Communications - Panariagroup
June 2024

Panaria
ceramica

Via Panaria Bassa, 22/a
41034 Finale Emilia (Modena) - Italy
Tel. +39 0535 95111 - Fax +39 0535 90503
info@panaria.it - panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.
panariagroup.it